Author index

Aguilera, C. (*see* Stirling, C.M.), 947
Ahmad, S. (*see* Doong, R.L.), 113
Aldington, S., McDougal, G.J. & Fry, S.C. Structure-activity relationships of biologically active oligosaccharides, 625
Allen, L.H., Jr (*see* Rowland-Bamford, A.J.), 577
Allen, S.G. (*see* Idso, S.B.), 351
Amthor, J.S. Respiration in a future, higher-CO_2 world, 13
Aphalo, P.J. & Jarvis, P.G. Do stomata respond to humidity? 127
Araus, J.L., Febrero, A. & Vendrall, P. Epidermal conductance in different parts of durum wheat grown under Mediterranean conditions: the role of epicuticular waxes and stomata, 545
Arp, W.J. & Drake, B.G. Increased photosynthetic capacity of *Scripus olneyi* after 4 years of exposure to elevated CO_2, 1003
Arp, W.J. & Drake, B.G. Effects of source-sink relations on photosynthetic acclimation to elevated CO_2, 869
Assmann, S.M. & Gershenson, A. The kinetics of stomatal responses to VPD in *Vicia faba*: electrophysiological and water relations models, 455
Assmann, S.M. (*see* Grantz, D.A.), 683
Atwal, K.K. (*see* Franklin-Tong, V.E.), 423

Baker, J.T. (*see* Rowland-Bamford, A.J.), 577
Baker, N.R. (*see* McKiernan, M.), 205
Baker, N.R. (*see* Stirling, C.M.), 947
Bal, A.K. (*see* Jayaram, S.), 195
Ballare, C.L., Scopel, A.L. & Sanchez, R.A. Photocontrol of stem elongation in plant neighbourhoods: effects of photon fluence rate under natural conditions of radiation, 57
Ballare, C.L. (*see* Scopel, A.L.), 501
Bazzaz, F.A. (*see* Coleman, J.S.), 667
Beleid El-Moshaty, F.I. (*see* Ullrich, C.I.), 383
Bethenod, O. (*see* Tardieu, F.), 121
Bienfait, H.F. (*see* Laan, P.), 235
Billard, J.-P. (*see* Le Dily, F.), 327
Bimbi, R. (*see* Valentini, R.), 987
Borghetti, M., Edwards, W.R.N., Grace, J., Jarvis, P.G. & Raschi, A. The refilling of embolized xylem in *Pinus sylverstris* L., 357
Bornman, J.F., Vogelman, T.C. & Martin, G. Measurement of chlorophyll fluorescence within leaves using a fibreoptic microprobe, 719
Boucaud, J. (*see* Le Dily, F.), 327
Bowes, G. Growth at elevated CO_2: photosynthetic responses mediated through Rubisco, 795
Bowes, G. (*see* Rowland-Bamford, A.J.), 577
Bowles, D.J. (*see* Morris, P.C.), 443
Bowman, W.D. Effect of nitrogen nutrition on photosynthesis and growth in C_4 *Panicum* species, 295
Boyer, J.S. (*see* Matyssek, R.), 917, 925
Brewer, C.A., Smith, W.K. & Vogelmann, T.C. Functional interaction between leaf trichomes, leaf wettability and the optical properties of water droplets, 955
Brewin, N.J. (*see* James, E.K.), 467
Britz, S.J. (*see* Pausch, R.C.), 647
Burns, I.G. Short and long-term effects of a change in the spatial distribution of nitrate in the root zone on N uptake, growth and root development of young lettuce plants, 21

Cannell, M.G.R. (*see* Thornley, J.H.M.), 1007
Carr, J.B. (*see* Ramagopal, S.), 47
Caul, S. (*see* Robinson, D.), 77
Chamel, A., Pineri, M. & Escoubes, M. Quantitative determination of water sorption by plant cuticles, 87
Cheeseman, J.M. PATCHY: simulating and visualizing the effects of stomatal patchiness on photosynthetic CO_2 exchange studies, 593
Cheng, S.H. & Edwards, G.E. Influence of long photoperiods on plant development and expression of Crassulacean acid metabolism in *Mesembryanthemum crystallinum*, 271
Coleman, B. (*see* Rotatore, C.), 371, 377
Coleman, J.R. The molecular and biochemical analyses of CO_2-concentrating mechanisms in cyanobacteria and microalgae, 861
Coleman, J.S., Rochefort, L., Bazzaz, F.A. & Woodward, F.I. Atmospheric CO_2, plant nitrogen status and the susceptibility of plants to an acute increase in temperature, 667
Cove, D.J. (*see* Knight, C.D.), 995
Crozier, A. (*see* Tonin, G.S.), 415
Cuenca, G., Herrera, R. & Merida, T. Distribution of aluminium in accumulator plants by X-ray microanalysis in *Richeria grandis* Vahl leaves from a cloud forest in Venezuela, 437
Cui, K. (*see* Sundberg, B.), 241
Cui, M., Vogelmann, T.C. & Smith, W.K. Chlorophyll and light gradients in sun and shade leaves of *Spinacia oleracea*, 493
Cummins, W.R. (*see* Mawson, B.T.), 569
Cupples, W., Lee, J. & Tallman, G. Division of guard cell protoplasts of *Nicotiana glauca* (Graham) in liquid cultures, 691

Davies, K.L., Davies, M.S. & Francis, D. Zinc-induced vacuolation in root meristematic cells of *Festuca rubra* L., 399
Davies, M.S. (*see* Davies, K.L.), 399
Davies, W.J. (*see* Tardieu, F.), 121
Davis, S.D. (*see* Thomas, C.), 971
De Angelis, P. (*see* Valentini, R.), 987
De Proft, M. (*see* Thys, C.), 713
Delwiche, C.F. (*see* Sharkey, T.D.), 333
Domozych, D.S. The peturbation of the endomembrane network of the chlamydomonad alga *Gloeomonas* by the herbicide isopropyl N-phenyl carbamate (IPC), 391
Donahue, R.A. (*see* Smith, W.K.), 133
Doong, R.L., Ahmad, S. & Jensen, R.A. Higher plants express 3-deoxy-D-manno-octulosonate 8-phosphate synthase, 113
Drake, B.G. & Leadley, P.W. Canopy photosynthesis of crops and native plant communities exposed to long-term elevated CO_2, 853
Drake, B.G. (*see* Arp, W.J.), 1003
Duckham, S.C., Linforth, R.S.T. & Taylor, I.B. Abscisic-acid-deficient mutants at the aba gene locus of *Arabidopsis thaliana* are impaired in the epoxidation of zeaxanthin, 601

Eamus, D. The interaction of rising CO_2 and temperatures with water use efficiency, 843
Edwards, G.E. (*see* Cheng, S.H.), 271
Edwards, W.R.N. (*see* Borghetti, M.), 357
Ehleringer, J.R. (*see* Fu, Q.A.), 339
Ehret, D.L. (*see* Samuels, A.L.), 485
Eighmy, T.T., Jahnke, L.S. & Fagerberg, W.R. Studies of *Elodea nuttallii* frown under photorespiratory conditions. II. Evidence for bicarbonate active transport, 157
Eighmy, T.T. (*see* Fagerberg, W.R.), 167
Eighmy, T.T. (*see* Jahnke, L.S.), 147
Ellsworth, D.S. (*see* Reich, P.B.), 251
Escoubes, M. (*see* Chamel, A.), 87

Fagerberg, W.R., Eighmy, T.T. & Jahnke, L.S. Studies of *Elodea nuttallii* grown under photorespiratory conditions. III. Quantitative-cytological characteristics, 167
Fagerberg, W.R. (*see* Eighmy, T.T.), 157

Author index

Aguilera, C. (*see* Stirling, C.M.), 947
Ahmad, S. (*see* Doong, R.L.), 113
Aldington, S., McDougal, G.J. & Fry, S.C. Structure-activity relationships of biologically active oligosaccharides, 625
Allen, L.H., Jr (*see* Rowland-Bamford, A.J.), 577
Allen, S.G. (*see* Idso, S.B.), 351
Amthor, J.S. Respiration in a future, higher-CO_2 world, 13
Aphalo, P.J. & Jarvis, P.G. Do stomata respond to humidity? 127
Araus, J.L., Febrero, A. & Vendrall, P. Epidermal conductance in different parts of durum wheat grown under Mediterranean conditions: the role of epicuticular waxes and stomata, 545
Arp, W.J. & Drake, B.G. Increased photosynthetic capacity of *Scripus olneyi* after 4 years of exposure to elevated CO_2, 1003
Arp, W.J. & Drake, B.G. Effects of source-sink relations on photosynthetic acclimation to elevated CO_2, 869
Assmann, S.M. & Gershenson, A. The kinetics of stomatal responses to VPD in *Vicia faba*: electrophysiological and water relations models, 455
Assmann, S.M. (*see* Grantz, D.A.), 683
Atwal, K.K. (*see* Franklin-Tong, V.E.), 423

Baker, J.T. (*see* Rowland-Bamford, A.J.), 577
Baker, N.R. (*see* McKiernan, M.), 205
Baker, N.R. (*see* Stirling, C.M.), 947
Bal, A.K. (*see* Jayaram, S.), 195
Ballare, C.L., Scopel, A.L. & Sanchez, R.A. Photocontrol of stem elongation in plant neighbourhoods: effects of photon fluence rate under natural conditions of radiation, 57
Ballare, C.L. (*see* Scopel, A.L.), 501
Bazzaz, F.A. (*see* Coleman, J.S.), 667
Beleid El-Moshaty, F.I. (*see* Ullrich, C.I.), 383
Bethenod, O. (*see* Tardieu, F.), 121
Bienfait, H.F. (*see* Laan, P.), 235
Billard, J.-P. (*see* Le Dily, F.), 327
Bimbi, R. (*see* Valentini, R.), 987
Borghetti, M., Edwards, W.R.N., Grace, J., Jarvis, P.G. & Raschi, A. The refilling of embolized xylem in *Pinus sylverstris* L., 357
Bornman, J.F., Vogelman, T.C. & Martin, G. Measurement of chlorophyll fluorescence within leaves using a fibreoptic microprobe, 719
Boucaud, J. (*see* Le Dily, F.), 327
Bowes, G. Growth at elevated CO_2: photosynthetic responses mediated through Rubisco, 795
Bowes, G. (*see* Rowland-Bamford, A.J.), 577
Bowles, D.J. (*see* Morris, P.C.), 443
Bowman, W.D. Effect of nitrogen nutrition on photosynthesis and growth in C_4 *Panicum* species, 295
Boyer, J.S. (*see* Matyssek, R.), 917, 925
Brewer, C.A., Smith, W.K. & Vogelmann, T.C. Functional interaction between leaf trichomes, leaf wettability and the optical properties of water droplets, 955
Brewin, N.J. (*see* James, E.K.), 467
Britz, S.J. (*see* Pausch, R.C.), 647
Burns, I.G. Short and long-term effects of a change in the spatial distribution of nitrate in the root zone on N uptake, growth and root development of young lettuce plants, 21

Cannell, M.G.R. (*see* Thornley, J.H.M.), 1007
Carr, J.B. (*see* Ramagopal, S.), 47
Caul, S. (*see* Robinson, D.), 77
Chamel, A., Pineri, M. & Escoubes, M. Quantitative determination of water sorption by plant cuticles, 87
Cheeseman, J.M. PATCHY: simulating and visualizing the effects of stomatal patchiness on photosynthetic CO_2 exchange studies, 593
Cheng, S.H. & Edwards, G.E. Influence of long photoperiods on plant development and expression of Crassulacean acid metabolism in *Mesembryanthemum crystallinum*, 271
Coleman, B. (*see* Rotatore, C.), 371, 377
Coleman, J.R. The molecular and biochemical analyses of CO_2-concentrating mechanisms in cyanobacteria and microalgae, 861
Coleman, J.S., Rochefort, L., Bazzaz, F.A. & Woodward, F.I. Atmospheric CO_2, plant nitrogen status and the susceptibility of plants to an acute increase in temperature, 667
Cove, D.J. (*see* Knight, C.D.), 995
Crozier, A. (*see* Tonin, G.S.), 415
Cuenca, G., Herrera, R. & Merida, T. Distribution of aluminium in accumulator plants by X-ray microanalysis in *Richeria grandis* Vahl leaves from a cloud forest in Venezuela, 437
Cui, K. (*see* Sundberg, B.), 241
Cui, M., Vogelmann, T.C. & Smith, W.K. Chlorophyll and light gradients in sun and shade leaves of *Spinacia oleracea*, 493
Cummins, W.R. (*see* Mawson, B.T.), 569
Cupples, W., Lee, J. & Tallman, G. Division of guard cell protoplasts of *Nicotiana glauca* (Graham) in liquid cultures, 691

Davies, K.L., Davies, M.S. & Francis, D. Zinc-induced vacuolation in root meristematic cells of *Festuca rubra* L., 399
Davies, M.S. (*see* Davies, K.L.), 399
Davies, W.J. (*see* Tardieu, F.), 121
Davis, S.D. (*see* Thomas, C.), 971
De Angelis, P. (*see* Valentini, R.), 987
De Proft, M. (*see* Thys, C.), 713
Delwiche, C.F. (*see* Sharkey, T.D.), 333
Domozych, D.S. The peturbation of the endomembrane network of the chlamydomonad alga *Gloeomonas* by the herbicide isopropyl N-phenyl carbamate (IPC), 391
Donahue, R.A. (*see* Smith, W.K.), 133
Doong, R.L., Ahmad, S. & Jensen, R.A. Higher plants express 3-deoxy-D-manno-octulosonate 8-phosphate synthase, 113
Drake, B.G. & Leadley, P.W. Canopy photosynthesis of crops and native plant communities exposed to long-term elevated CO_2, 853
Drake, B.G. (*see* Arp, W.J.), 1003
Duckham, S.C., Linforth, R.S.T. & Taylor, I.B. Abscisic-acid-deficient mutants at the aba gene locus of *Arabidopsis thaliana* are impaired in the epoxidation of zeaxanthin, 601

Eamus, D. The interaction of rising CO_2 and temperatures with water use efficiency, 843
Edwards, G.E. (*see* Cheng, S.H.), 271
Edwards, W.R.N. (*see* Borghetti, M.), 357
Ehleringer, J.R. (*see* Fu, Q.A.), 339
Ehret, D.L. (*see* Samuels, A.L.), 485
Eighmy, T.T., Jahnke, L.S. & Fagerberg, W.R. Studies of *Elodea nuttallii* frown under photorespiratory conditions. II. Evidence for bicarbonate active transport, 157
Eighmy, T.T. (*see* Fagerberg, W.R.), 167
Eighmy, T.T. (*see* Jahnke, L.S.), 147
Ellsworth, D.S. (*see* Reich, P.B.), 251
Escoubes, M. (*see* Chamel, A.), 87

Fagerberg, W.R., Eighmy, T.T. & Jahnke, L.S. Studies of *Elodea nuttallii* grown under photorespiratory conditions. III. Quantitative-cytological characteristics, 167
Fagerberg, W.R. (*see* Eighmy, T.T.), 157

Fagerberg, W.R. (*see* Jahnke, L.S.), 147
Fall, R.R. (*see* Monson, R.K.), 517
Farrar, J.F. & Williams, M.L. The effects of increased atmospheric carbon dioxide and temperature on carbon partitioning, source-sink relations and respiration, 819
Fearn, J.C. & LaRue, T.A. A temperature-sensitive nodulation mutant (*sym*-5) of *Pisum sativum* L., 221
Febrero, A. (*see* Araus, J.L.), 545
Field, C.B. (*see* Fredeen, A.L.), 963
Flowers, T.J., Hajibagheri, M.A. & Yeo, A.R. Ion accumulation in the cell walls of rice plants growing under saline conditions: evidence for the Oertli hypothesis, 319
Foissner, I. Induction of exocytosis in characean internodal cells by locally restricted application of chlortetracycline and the effect of cytochalasin B, depolarizing and hyperpolarizing agents, 907
Forseth, I.N. (*see* Kao, W.-Y.), 287
Fowler, D. (*see* Thornley, J.H.M.), 1007
Francis, D. (*see* Davies, K.L.), 399
Francis, J.B. (*see* Wolfenden, J.), 35
Franklin, F.C.H. (*see* Franklin-Tong, V.E.), 423
Franklin-Tong, V.E., Atwal, K.K., Howell, E.C., Lawrence, M.J. & Franklin, F.C.H. Self-incompatibility in *Papaver rhoeas*: there is no evidence for the involvement of stigmatic ribonuclease activity, 423
Fredeen, A.L., Gamon, J.A. & Field, C.B. Responses of photosynthesis and carbohydrate-partitioning to limitations in nitrogen and water availability in field-grown sunflower, 963
Friend, A.D. Use of a model of photosynthesis and leaf microenvironment to predict optimal stomatal conductance and leaf nitrogen partitioning, 895
Fry, S.C. (*see* Aldington, S.), 625
Fu, Q.A. & Ehleringer, J.R. Modification of paraheliotropic leaf movement in *Phaseolus vulgaris* by photon flux density, 339

Gamon, J.A. (*see* Fredeen, A.L.), 963
Gershenson, A. (*see* Assmann, S.M.), 455
Gimmler, H., Schieder, M., Kowalski, M., Zimmermann, U. & Pick, U. *Dunaliella acidophila*: and algae with a positive zeta potential at its optimal pH for growth, 261
Glass, A.D.M. (*see* Samuels, A.L.), 485
Gow, N.A.R. (*see* Miller, A.L.), 559
Grace, J. (*see* Borghetti, M.), 357
Grace, J. (*see* van Gardingen, P.R.), 185
Grantz, D.A. & Assmann, S.M. Stomatal response to blue light: water use efficiency in sugarcane and soybean, 683
Gross, L.J., Kirshbaum, M.U.F. & Pearcy, R.W. A dynamic model of photosynthesis in varying light taking account of stomatal conductance, C_3-cycle intermediates, photorespiration and Rubisco activation, 881
Gulli, M. (*see* Maestri, E.), 613

Habib, R. (*see* Simonneau, T.), 585
Hajibagheri, M.A. (*see* Flowers, T.J.), 319
Hanninen, H. Does climatic warming increase the risk of frost damage in northern trees? 449
Harker, F.R. & Venis, M.A. Measurement of intracellular and extracellular free calcium in apple fruit cells using calcium-selective microelectrodes, 525
Hendry, G.A.F. (*see* Price, A.H.), 477
Herrera, R. (*see* Cuenca, G.), 437
Hills, A.J. (*see* Monson, R.K.), 517
Ho, T.-Y. & Mishkind, M.L. The influence of water deficits on mRNA levels in tomato, 67
Hogan, K.P., Smith, A.P. & Ziska, L.H. Potential effects of elevated CO_2 and changes in temperature on tropical plants, 763
Holt, J.S. (*see* McClosky, W.B.), 699
Horwitz, B.A. & Zur, B. Gravitropic responses of primary maize rootlets as influenced by light and temperature, 619
Howarth, C.J. Molecular responses of plants to an increased incidence of heat shock, 831
Howell, E.C. (*see* Franklin-Tong, V.E.), 423
Hruschka, W.R. (*see* Ownby, J.D.), 303
Hull, M.R. (*see* Jahnke, L.S.), 97
Hush, J.M., Overall, R.L. & Newman, I.A. A calcium influx precedes organogenesis in *Graptopetalum*, 657
Huys, P. (*see* Laan, P.), 235

Idso, S.B., Kimball, B.A. & Allen, S.G. CO_2 enrichment of sour orange trees: 2.5 years into a long-term experiment, 351
Iino, M. Mediation of tropisms by lateral translocation of endogenous indole-3-acetic acid in maize coleoptiles, 279

Jahnke, L.S., Eighmy, T.T. & Fagerberg, W.R. Studies of *Elodea nuttali* grown under photorespiratory conditions. I. Photosynthetic characteristics, 147
Jahnke, L.S., Hull, M.R. & Long, S.P. Chilling and oxygen metabolizing enzymes in *Zea mays* and *Zea diploperennis*, 97
Jahnke, L.S. (*see* Eighmy, T.T.), 157
Jahnke, L.S. (*see* Fagerberg, W.R.), 167
James, E.K., Sprent, J.I., Minchin, F.R. & Brewin, N.J. Intercellular location of glycoprotein in soybean nodules: effect of altered rhizosphere oxygen concentration, 467
Jarvis, P.G. (*see* Aphalo, P.J.), 127
Jarvis, P.G. (*see* Borghetti, M.), 357
Jayaram, S. & Bal, A.K. Oleosomes (lipid bodies) in nitrogen-fixing peanut nodules, 195
Jeffree, C.E. (*see* van Gardingen, P.R.), 185
Jensen, R.A. (*see* Doong, R.L.), 113
Jewer, P.C. (*see* Morris, P.C.), 443
Johnson, I.R., Melkonian, J.J., Thornley, J.H.M. & Riha, S.J. A model of water flow through plants incorporating shoot/root 'message' control of stomatal conductance, 531
Jones, H.G. & Sutherland, R.A. Stomatal control of xylem metabolism, 607

Kao, W.-Y. & Forseth, I.N. The effects of nitrogen, light and water availability on tropic leaf movements in soybean (*Glycine max*), 287
Katerji, N. (*see* Tardieu, F.), 121
Kimball, B.A. (*see* Idso, S.B.), 351
Knight, C.D. & Cove, D.J. The polarity of gravitropism in the moss *Physcomitrella patens* is reversed during mitosis and after growth on a clinostat, 995
Koch, W. (*see* Maier-Maercker, U.), 175
Koide, T. (*see* Lu, X.), 931
Kowalski, M. (*see* Gimmler, H.), 261

Laan, P., Tosserams, M., Huys, P. & Bienfait, H.F. Oxygen uptake by roots of Rumex species at different temperatures: the relative importance of diffusive resistance and enzymatic kinetics, 235
Lackney, V.K. & Sjolund, R.D. Solute concentrations of the phloem and parenchyma cells present in squash cells, 213
LaRue, T.A. (*see* Fearn, J.C.), 221
Lawlor, D.W. & Mitchell, R.A.C. The effects of increasing CO_2 on crop photosynthesis and productivity: a review of field studies, 807
Lawrence, M.J. (*see* Franklin-Tong, V.E.), 423
Le Dily, F., Billard, J.-P. & Boucaud, J. Polyamine levels in relation to growth and NaCl concentration in normal and habituated sugarbeet callus cultures, 327
Leadley, P.W. (*see* Drake, B.G.), 853
Lee, J. (*see* Cupples, W.), 691
Lenz, S. (*see* Ullrich, C.I.), 383
Linehan, D.J. (*see* Robinson, D.), 77
Linforth, R.S.T. (*see* Duckham, S.C.), 601
Little, C.H.A. (*see* Sundberg, B.), 241

Long, S.P. Modification of the response of photosynthetic productivity to rising temperature by atmospheric by CO_2 concentrations: Has its importance been underestimated? 729
Long, S.P. (*see* Jahnke, L.S.), 97
Long, S.P. (*see* Stirling, C.M.), 947
Loreto, F. (*see* Sharkey, T.D.), 333
Lu, X. & Koide, T. *Avena fatua* L. seed and seedling nutrient dynamics as influenced by mycorrhizal infection of the maternal generation, 931

McClosky, W.B. & Holt, J.S. Effect of growth temperature on biomass production of nearly isonuclear triazane-resistant and -susceptible common groundsel (Senecio vulgaris L.), 699
McDougal, G.J. (*see* Aldington, S.), 625
McKiernan, M. & Baker, N.R. Adaptation to shade of the light-harvesting apparatus in *Silene dioica*, 205
McLeod, A.L. (*see* Neales, T.F.), 979
Maestri, E., Restivo, F.M., Gulli, M. & Tassi, F. Glutamate dehydrogenase regulation in callus cultures of *Nicotiana plumbaginifolia*: effect of glucose on feeding and carbon source starvation on the isoenzymatic pattern, 613
Maier-Maercker, U. & Koch, W. Experiments on the control capacity of stomata of *Picea abies* (L.) Karst. after fumigation with ozone and in environmentally damaged material, 175
Malone, M. & Stankovic, B. Surface potentials and hydraulic signals in wheat leaves following localized wounding by heat, 431
Martin, G. (*see* Bornman, J.F.), 719
Maruyama, S. (*see* Matyssek, R.), 917
Matyssek, R., Maruyama, S. & Boyer, J.S. Growth-induced water potentials may mobilize internal water for growth, 917
Matyssek, R., Tang, A.C. & Boyer, J.S. Plants can grow on internal water, 925
Mawson, B.T. & Cummins, W.R. Low temperature acclimation of guard cell chloroplasts by the arctic plant *Saxifraga cernua* L., 569
Melkonian, J.J. (*see* Johnson, I.R.), 531
Menzies, J.G. (*see* Samuels, A.L.), 485
Merida, T. (*see* Cuenca, G.), 437
Miller, A.L., Smith, G.N., Raven, J.A. & Gow, N.A.R. Ion currents and the nitrogen status of roots of *Hordeum vulgare* and non-nodulated *Trifolium repens*, 559
Minchin, F.R. (*see* James, E.K.), 467
Mishkind, M.L. (*see* Ho, T.-Y.), 67
Mitchell, R.A.C. (*see* Lawlor, D.W.), 807
Monson, R.K., Hills, A.J., Zimmerman, P.R. & Fall, R.R. Studies of the relationship between isoprene emission rate and CO_2 or photon-flux density using a real-time isoprene analyser, 517
Morris, P.C., Jewer, P.C. & Bowles, D.J. Changes in water relations and endogenous abscisic acid content of wheat and barley grains and embryos during development, 443
Mott, K.A. & Parkhurst, D.F. Stomatal responses to humidity in air and helox, 509
Mulchi, C.L. (*see* Pausch, R.C.), 647

Neales, T.F. & McLeod, A.L. Do leaves contribute to the abscisic acid present in the xylem sap of 'droughted' sunflower plants? 979
Newman, I.A. (*see* Hush, J.M.), 657
Nie, G.Y. (*see* Stirling, C.M.), 947
Nobel, P.S. Environmental productivity indices and productivity for *Opuntia ficus-indica* under current and elevated CO_2 levels, 637
Nobel, P.S. (*see* Tissue, D.T.), 407
Novacky, A.J. (*see* Ullrich, C.I.), 383
Nugawela, A. (*see* Stirling, C.M.), 947

Oquist, G. (*see* Ottander, C.), 345
Ottander, C. & Oquist, G. Recovery of photosynthesis in winter-stressed Scots pine, 345
Overall, R.L. (*see* Hush, J.M.), 657
Ownby, J.D. & Hruschka, W.R. Quantitative changes in cytoplasmic microsomal proteins associated with aluminium toxicity in two cultivars of winter wheat, 303

Pardossi, A., Vernieri, P. & Tognoni, F. Evaluation of the pressure chamber method for the assessment of water status in chilled plants, 675
Parkhurst, D.F. (*see* Mott, K.A.), 509
Pausch, R.C., Britz, S.J. & Mulchi, C.L. Growth and photosynthesis of soybean (*Glycine max* (L.) Merr.) in simulated vegetation shade: influence of the ratio of red to far-red radiation, 647
Pearson, M. (*see* Wolfenden, J.), 35
Pick, U. (*see* Gimmler, H.), 261
Pike, S. (*see* Ullrich, C.I.), 383
Pineri, M. (*see* Chamel, A.), 87
Popham, P. (*see* Ullrich, C.I.), 383
Price, A.H. & Hendry, G.A.F. Iron-catalysed oxygen radical formation and its possible contribution to drought damage in nine native grasses and three cereals, 477

Ramagopal, S. & Carr, J.B. Sugarcane proteins and messenger RNAs regulated by salt in suspension cells, 47
Raschi, A. (*see* Borghetti, M.), 357
Raven, A. Long-term functioning of enucleate sieve elements: possible mechanisms of damage avoidance and damage repair, 139
Raven, J.A. Physiology of inorganic C acquisition and implications for resource use efficiency by marine phytoplankton: relation to increased CO_2 and temperature, 779
Raven, J.A. (*see* Miller, A.L.), 559
Reece, C.F. & Riha, S.J. Role of root systems of eastern larch and white spruce in response to flooding, 229
Reich, P.B., Walters, M.B. & Ellsworth, D.S. Leaf age and season influence the relationships between leaf nitrogen, leaf mass per area and photosynthesis in maple and oak trees, 251
Restivo, F.M. (*see* Maestri, E.), 613
Riha, S.J. (*see* Johnson, I.R.), 531
Riha, S.J. (*see* Reece, C.F.), 229
Robinson, D., Linehan, D.J. & Caul, S. What limits nitrate uptake in soil? 77
Rochefort, L. (*see* Coleman, J.S.), 667
Rotatore, C. & Coleman, B. The acquisition and accumulation of inorganic carbon by the unicellular green algae *Chlorella ellipsoidea*, 377
Rotatore, C. & Coleman, B. The active uptake of carbon dioxide by the unicellular green algae *Chlorella saccharophila* and *C. ellipsoidea*, 371
Rowland-Bamford, A.J., Baker, J.T., Allen, L.H., Jr & Bowes, G. Acclimation of rice to changing atmospheric carbon dioxide concentration, 577

Salema, R. (*see* Santos, I.), 311
Samuels, A.L., Glass, A.D.M., Ehret, D.L. & Menzies, J.G. Mobility and deposition of silicon in cucumber plants, 485
Sanchez, R.A. (*see* Scopel, A.L.), 501
Sandberg, G. (*see* Sundberg, B.), 241
Santos, I. & Salema, R. Nitrogen metabolism and the level of Crassulacean acid metabolism in *Kalanchoe lateritia* Engl., 311
Scarascia Mugnozza, G.E. (*see* Valentini, R.), 987
Schans, J. Reduction of leaf photosynthesis and transpiration rates of potato plants by second-stage juveniles of *Gobodera pallida*, 707
Schieder, M. (*see* Gimmler, H.), 261
Schrevens, E. (*see* Thys, C.), 713
Scopel, A.L., Ballare, C.L. & Sanchez, R.A. Induction of extreme light sensitivity in buried weed seeds and its role in the perception of soil cultivations, 501

Scopel, A.L. (*see* Ballare, C.L.), 57
Sharkey, T.D., Loreto, F. & Delwiche, C.F. High carbon dioxide and sun/shade effects on isoprene emission from oak and aspen tree leaves, 333
Simonneau, T. & Habib, R. The use of tree root suckers to estimate root water potential, 585
Sjolund, R.D. (*see* Lackney, V.K.), 213
Smith, A.P. (*see* Hogan, K.P.), 763
Smith, G.N. (*see* Miller, A.L.), 559
Smith, W.K. & Donahue, R.A. Simulated influence of altitude on photosynthetic uptake potential in plants, 133
Smith, W.K. (*see* Brewer, C.A.), 955
Smith, W.K. (*see* Cui, M.), 493
Sprent, J.I. (*see* James, E.K.), 467
Stankovic, B. (*see* Malone, M.), 431
Stirling, C.M., Nie, G.Y., Aguilera, C., Nugawela, A., Long, S.P. & Baker, N.R. Photosynthetic productivity of an immature maize crop: changes in quantum yield of CO_2 assimilation, conversion efficiency and thylakoid proteins, 947
Stitt, M. Rising CO_2 levels and their potential significance for carbon flow in photosynthetic cells, 741
Stitt, M. (*see* Zrenner, R.), 939
Sundberg, B., Little, C.H.A., Cui, K. & Sandberg, G. Level of endogenous indole-3-acetic acid in the stem of *Pinus sylvestris* in relation to the seasonal variation of cambial activity, 241
Sutherland, R.A. (*see* Jones, H.G.), 607

Tallman, G. (*see* Cupples, W.), 691
Tallman, G. (*see* Thomas, C.), 971
Tang, A.-C. (*see* Matyssek, R.), 925
Tardieu, F., Katerji, N., Bethenod, O., Zhang, J. & Davies, W.J. Maize stomatal conductance in the field: its relationship with soil and water potentials, mechanical constraints and ABA concentration in the xylem sap, 121
Tassi, F. (*see* Maestri, E.), 613
Taylor, I.B. (*see* Duckham, S.C.), 601
Thomas, C., Davis, S.D. & Tallman, G. Responses of stomata of senescing and nonsenescing leaves of *Nicotiana glauca* to changes in intercellular concentrations of leaf carbon dioxide, 971
Thornley, J.H.M., Fowler, D. & Cannell, M.G.R. Terrestrial carbon storage resulting from CO_2 and nitrogen fertilization in temperate grasslands, 1007
Thornley, J.H.M. (*see* Johnson, I.R.), 531
Thys, C., Vanthomme, P., Schrevens, E. & De Proft, M. Interactions of Cd with Zn, Cu, Mn and Fe for lettuce (*Lacuta sativa*) in hydroponic culture, 713
Tissue, D.T., Yakir, D. & Nobel, P.S. Diel water movement between parenchyma and cglorenchyma of two desert CAM plants under dry and wet conditions, 407
Tognoni, F. (*see* Pardossi, A.), 675
Tonin, G.S., Wheeler, C.T., & Crozier, A. Effect of changes in nitrogen nutrition on the polyamine content of *Alnus glutinosa*, 415
Tosserams, M. (*see* Laan, P.), 235
Trewavas, A. How do plant growth substances work? 1

Ullrich, C.I., Pike, S., Beleid El-Moshaty, F.I., Lenz, S., Popham, P. & Novacky, A.J. Fusicoccin-induced membrane depolarization, K+ efflux and extracellar alkalinization in leaves of *Vigna unguiculata*, 383

Valentini, R., Scarascia Mugnozza, G.E., De Angelis, P. & Bimbi, R. An experimental test of the eddy correlation technique over a Mediterranean macchia canopy, 987
Vallejos, C.E. Low night temperatures have a differential effect on the diurnal cycling of gene expression in cold-sensitive and tolerant tomatoes, 105
van Gardingen, P.R., Grace, J. & Jeffree, C.E. Abrasive damage by wind to the needle surfaces of *Picea sitchensis* (Bong.) Carr. and *Pinus sylvestris* L., 185
Vanthomme, P. (*see* Thys, C.), 713
Vendrall, P. (*see* Araus, J.L.), 545
Venis, M.A. (*see* Harker, F.R.), 525
Vernieri, P. (*see* Pardossi, A.), 675
Vogelman, T.C. (*see* Bornman, J.F.), 719
Vogelmann, T.C. (*see* Brewer, C.A.), 955
Vogelmann, T.C. (*see* Cui, M.), 493

Walters, M.B. (*see* Reich, P.B.), 251
Wheeler, C.T. (*see* Tonin, G.S.), 415
Williams, M.L. (*see* Farrar, J.F.), 819
Wolfenden, J., Pearson, M. & Francis, J.B. Effects of over-winter fumigation with sulphur and nitrogen dioxides on biochemical parameters and spring growth in red spruce (*Picea rubens* Sarg.), 35
Woodward, F.I. (*see* Coleman, J.S.), 667

Yakir, D. (*see* Tissue, D.T.), 407
Yeo, A.R. (*see* Flowers, T.J.), 319

Zhang, J. (*see* Tardieu, F.), 121
Zimmerman, P.R. (*see* Monson, R.K.), 517
Zimmermann, U. (*see* Gimmler, H.), 261
Ziska, L.H. (*see* Hogan, K.P.), 763
Zrenner, R. & Stitt, M. Comparison of the effect of rapidly and gradually developing water-stress on carbohydrate metabolism in spinach leaves, 939
Zur, B. (*see* Horwitz, B.A.), 619

Subject index

ABA, 979
Abscisic acid, 121, 443, 601
Abutilon theophrasti, 667
Acclimation, 861
Acinetobacter, 113
Active oxygen scavenging, 97
Adaptation, 21
Aerial fertilization, 351
Agave deserti, 407
Air temperature, 339
Alder, 415
Algae, 795
Alkalinization, 383
Alnus glutinosa, 415
Alocasia macrorrhiza, 881
α-galacturonides, 625
Altitude, 133
Aluminium, 303, 437, 437
Al-accumulator, 437
Amaranthus retrofelxus, 667
Anions, 35
Annual rhythm, 449
Apoplast, 319, 525
Apple, 525
Aquatic:
  macrophyte, 167
  plants, 795
Arabidopsis thaliana, 601
Arrhenius plot, 235
Aspen, 517
Assimilate partitioning, 819
Association index, 167
Auxin, 279
Avena fatua L., 931

Barley, 443
β-glucan, 625
Beta vulgaris L., 327
Bicarbonate transport, 371, 377:
  active, 147, 157
  model, 167
Biomass, 795
Blue light, 57, 647
Bradyrhizobium japonicum, 467
Bud dormancy, 449

C_3 and C_4, 853
C_3 and C_4 photosynthesis, 795
C_3 photosynthesis, 729
C_4 photosynthesis, 295
Ca^{2+}, 907
Cactus, 637
Cadmium, 713
Calcium, 525:
  influx, 657
Callus, 327
Callus cultures, 613
CAM, 271, 311
Cambial activity, 241
Canopy photosynthesis, 853, 987
Capacitance, 407
Capillary force, 357

Carbon:
  budget, 13
  catabolite repression, 613
  sequestration, 1007
  souce starvation, 613
  uptake, 147
Carbon dioxide, 13, 333, 351, 637, 1003:
  response, 971
  uptake, 133
Carbonic anhydrase, 371, 377, 861
Carboxylation, 147
Carboxysome, 861
Cell:
  culture, 691
  wall, 907
Chara corallina, 907
Characeae, 907
Chenopodiaceae, 327
Chilling, 675, 947:
  inhibition, 97
Chilling/low temperature, 105
Chlamydomonadaceae, 391
Chlorella ellipsoidea, 371, 377
Chlorella saccharophila, 371
Chlorophyll, 477, 493:
  fluorescence, 205, 345, 719
Chlorophyta, 391
Chloroplasts, 167, 493, 719
Chlortetracycline, 907
Cholodny-Went theory of tropisms, 279
c_i, 971
Citrus aurantium, 351
Climate change, 449, 729, 763, 1007
Clinostat, 995
CO_2, 351, 517:
  affinity, 377
  compensation concentration, 377
  concentrating, 795
  concentrating mechanisms, 779, 861
  diffusion, 779
  enhanced, 741
  enrichment, 795
  transport, 371
Coleoptile, 279
Common bean, 339
Compositae, 713
Conversion efficiency, 947
Cowpea, 383
Crassulaceae, 657
Crassulacean acid metabolism, 407
Critical oxygen pressure, 235
Crop productivity, 807
Cryptochrome, 57
Cucubita pepo, 213
Cucumber, 485
Cucumis sativis L., 485
Cuticular:
  conductance, 185
  permeability, 87
Cyanobacteria, 795, 861
Cytochrome-coupled respiration, 235
Cytoplasm, 525

Cytoskeleton, 907

DAHP synthase, 113
Dark CO_2 uptake, 383
Datura ferox L., 57, 501
DEAE-dextran, 261
Defence responses, 625
Deuterium:hydrogen ratio, 407
Development, 21
Dictyosome, 391
Diffusion, 77:
  coefficient, 87
Diurnal cycling, 105
Droplet:
  optics, 955
  retention, 955
Drought, 477, 979:
  stress, 963
Dunaliella acidophila, 261
Durum wheat, 545
Dynamic response, 881

Ear, 545
Eastern larch, 229
Ecosystem:
  carbon budget, 853
  processes, 729
Eddy fluxes, 987
Effective root length, 77
Electrophysiology, 383
Elevated CO_2, 763, 807, 819, 843, 853, 869
Elicitors, 625
Elodea nuttallii, 147, 157, 167
Embolism, 357, 607
Embryo development, 443
Endomembrane system, 391
Energy balance, 987
Enucleate sieve elements, 139
Epicuticular waxes, 185, 545
Epidermal conductance, 185, 545
Eucalyptus, 517
Exocytosis, 907

Fabaceae, 287, 383
Far-red, 647
Ferocatus acanthodes, 407
Festuca rubra, 399
Fibre optics, 719
Field:
  maize, 947
  poppy, 423
Flag leaf, 545
Flooding, 229
Fluorescence, 569
Forest decline, 175
Free air CO_2 enrichment, 807
Free-flow elecrophoresis, 261
Frost, 449
Fusicoccin-dependent membrane depolarization, 383

Gas exchange, 127, 455, 593, 683, 707, 853, 971
Gene expression, 47, 105
Genetic variation, 619
Germination ecology, 501
Global:
  change, 351, 667
  warming, 637, 729, 831
Globodera pallida Stone, 707
Gloeomonas kupfferi, 391
Glutamate dehydrogenase isoenzymatic pattern, 613
Glycine max L. Merr, 287, 467, 647, 683, 917, 925
Glycoprotein, 467
Gramineae, 77
Graptopetalum paraguayense, 657
Grassland, 1007
Gravitropism, 279, 619, 995
Greenhouse effect, 729
Growth, 925:
  rate, 21
  regulation, 625
  substance, 1
Guard cell, 455, 691:
  chloroplast, 569

Heat shock, 667:
proteins, 831
Hedera helix, 127
Helianthus annuus, 963, 979
Heliotropism, 287
Helox, 509
Herbicide-resistance, 699
Heterobaric leaves, 593
High-performance liquid chromatography, 415
Hordeum vulgare L., 443
Humidity, 509
Hydraulic:
  conductivity, 607
  signalling, 431
Hydroponic culture, 713
Hydroregulation, 175

Immunogold labelling, 467
In vitro translation, 67
Indole-3-acetic acid, 241, 279
Induction, 683
Inorganic carbon accumulation, 377
Intercellular spaces, 467
Intercropping, 647
Ion currents, 559, 657
Ion-selective microelectrodes, 657
IPC, 391
Iron, 477, 713, 779
Isolated cuticles, 87
Isoprene, 333
Isoprene emission, 517
Ivy, 127

K^+:
  channels, 455
  efflux, 383
$K_m(O_2)$, 235
Kalanchoë lateritia, 311
KDOP synthase, 113

Lactuca sativa L., 21, 713
Lapse rate, 133
Larix laricina, 229
Leaf, 979:
  age, 251
  area, 699
  development, 251
  mass per area, 251

photosynthesis, 205
surface, 185
temperature, 127, 133
water potential, 121
wettability, 955
Leguminosae, 221, 647, 917, 925
Lettuce, 713
Life cycle, 271
Light, 517, 619, 881:
gradients, 493, 719
harvesting complex, 205
quality, 57
scattering, 943
Lightfleck, 881
Lipids, 35
Longevity, 133
Low:
respiratory state, 147
temperature, 35
Low-temperature scanning electron microscopy, 185
Lycopersicon esculentum, 67, 105, 675

Macchia, 987
Macrophyte, 157
Maize, 619
Malus domestica, 525
Manganese, 779
Maple, 251
Mass spectrometry, 371
Maternal effects, 931
Mathematical models, 729
Mechanistic model, 881
Medicago sativa, 719
Membrane potential, 907
Mesembryanthemum crystallinum, 271
Metabolic control, 517
Microalgae, 861
Microelectrode, 525
Mitosis, 995
Model, 531, 1007
Molybdenum, 779
Monocot, 167
mRNA levels, 105
Multivariate analysis, 713
Mutants, 601, 861
Mycorrhiza, 931

N concentration, 21
N9-fluorenylmethyl chloroformate derivitization, 415
NADP-malic enzyme C_4 subtype, 295
NAD-malic enzyme C_4 subtype, 295
Nicotiana glauca (Graham), 691, 971
Nicotiana plumbaginifolia, 613
Nitrate:
distribution, 21
uptake, 77
Nitrogen, 251, 559, 779:
accumulation, 415
contact, 577
fixation, 195
nutrition, 295, 311
stress, 963
use efficiency, 287, 295
Nitrogenase, 467
Nodulation, 221
Nodule structure, 467
Non-enzymatic glycosylation, 139

O_2-evolution, 345
Oak, 251
Ohm's law analogue, 607
Oleosomes (lipid bodies), 195
Oligosaccharins, 625
Open-top chambers, 807
Optical properties, 493
Optimization, 895
Organogenesis, 657
Oryza sativa, 319, 577
Osmotic adjustment, 319
Osmotic pressure, 407
Oxygen, 467:
radicals, 477
toxicity, 139
Ozone, 175

Palisade, 493, 719
Palmae, 139
Panicum, 295
Papaver rhoes L., 423
Papveraceae, 423
Paraheliotropic leaf movement, 339
Parenchyma, 357
Parenchymatous cells, 213
Partition coefficient, 87
Patch clamping, 455
Patchiness, 509
Pea, 221
Peach tree, 585
Peanut, 195
Pearl millet, 831
Pectin, 625
Pennisetum glaucum, 831
pH regulation, 559
Phaseolus vulgaris, 339, 675, 895
Phenology, 449
Phosphate, 931
Photoinhibition, 97
Photomorphogenesis, 57, 647
Photon flux density, 339, 517, 881
Photons, 779
Photoperiod, 271
Photorespiration, 795
Photostems I and II, 205
Photosynthesis, 133, 147, 251, 333, 345, 493, 517, 577, 593, 647, 683, 699, 741, 763, 947, 1003:
acclimation, 869, 1003
adjustment, 807
model, 895
nitrogen-use efficiency, 963
water-use efficiency, 963
Phototropism, 279
Physcomitrella patens, 995
Phytase, 931
Phytochrome, 57, 501, 647
Picea abies, 175
Picea glauca, 229
Picea sitchensis, 185
Pinaceae, 185, 229, 345, 357
Pinus sylvestris L., 185, 241, 345, 357
Pisum sativum (L.), 221, 601
Plant:
canopies, 57, 729
cell walls, 105
stress, 667

Plant-parasite interaction, 707
Plasma membrane, 261
Poaceae, 931
Polarity, 657
Pollen inhibition activity, 423
Polyamines, 415
Populus tremuloides, 333
Post-illumination isoprene burst, 517
Potato cyst nematodes, 707
Pressure chamber, 585, 675
Prickly pear, 637
Primary production, 729
Proline, 327
Protein, 861:
  degradation, 139
Protoplasts, 691
Prunus persica (L. Batsch), 585
Pulvinus temperature, 339
Putrescine, 327
Pyrenoid, 861

Quantum yield, 729, 947
Quaternary ammonium compounds, 327
Quercus rubra, 333

Receptor, 1
Recovery, 345
Red spruce, 35
Refilling, 357
Relative:
  humidity, 127
  water content, 675
Resource availability, 287
Respiration, 13, 819
Rest break, 449
Rhizosphere pH, 559
Ribonuclease activity, 423
Ribulose bisphosphate carboxylase-oxygenase, 577
Rising atmospheric CO_2 concentrations, 729
Root, 619, 979:
  growth, 303, 559
  hydraulic conductance, 229
  meristem, 399
  message, 121
  nodules, 195, 415
  porosity, 235
  proliferation, 21
  respiration, 235
  sucker, 585
  system, 229, 585
  water potential, 585
Root/shoot ratio, 869
Rubisco, 729, 741:
  protein, 577
Rumex, 235

Saccharum spp., 683
Salinity, 319
Salt-resistant cell lines, 47
Saxifraga cernua, 569
Scots pine, 241, 345
Seed:
  dormancy, 501
  nutrients, 931
Seedling, 545:
  nutrient relations, 931

Selenium, 779
Self-incompatibility, 423
Senescence, 971
Sensitivity, 1
Sephadex, 907
Shade:
  adaptation, 205
  leaf, 493
Shoot/root messages, 531
Sieve elements, 213
Silene dioica, 205
Silicon, 485
Simulation, 449:
  modelling, 593
Sinapis alba L., 57
Sink regulation, 741
SO_2/NO_2, 35
Sodium chloride, 327
Soil cultivation, 501
Soil:
  mechanical resistance, 121
  water potential, 121
Solanaceae, 67, 105, 613
Solanum melongena, 675
Solanum tuberosum L., 707
Solute concentrations, 213
Sorghum, 831
Sorghum bicolor, 831
Sour orange, 351
Source-sink balance, 869
Soybean, 287, 467, 647, 917, 925
Spermidine, 327
Spinach, 113
Spinacia oleracea, 493
Spongy mesophyll, 493, 719
Spring wheat, 77
Squash, 213
Starch synthesis, 939
Stem elongation , 57
Stereology, 167
Stochastic cell development, 1
Stomata, 175, 509, 545, 569, 607, 707, 971
Stomatal:
  aperture, 593
  conductance, 121, 127, 881, 971
Stress, 763
Structure-activity relationships, 625
Substrate ambiguity, 113
Sucrose synthesis, 741, 939
Sucrose-phosphate synthase, 939
Sugarbeet, 327
Sugarcane, 47
Sun leaf, 493
Sunflecks, 683
Sunflower, 963
Sun/shade, 333
Superoxide, 477
Surface electrical potential, 431
Sym genes, 221

Temperature, 619, 637, 763, 779, 819
Temperature-sensitivity, 221
Thermal acclimation, 569
Thermocouple psychrometer, 675
Thermotolerance, 831

Thylakoid, 167, 205:
  proteins, 974
Tomato, 67, 105
Trace elements, 713
Tracheid, 357
Transpiration, 175, 407, 455, 509
Tree:
  growth, 351
  tobacco, 691, 971
Trichomes, 955
Triticeae, 545
Triticum aestivum L., cv. Wembley, 77, 443, 477
Triticum durum L., 431
Triticum turgidum var. *durum*, 545
Tropical, 763:
  tree, 437
Turgor, 917, 925:
  pressure, 431
Two-dimensional gel electrophoresis, 303
Type A intravacuolar body, 399

Ultra-violet radiation, 139
Unmanaged ecosystems, 853
Uptake rate, 21

Vacuolation, 399
Vacuole, 525
(Very) low fluence response, 501
Vibrating probe, 657
Vicia faba, 455
Vigna unguiculata, 383
VPD, 455

Waste water treament, 147, 157, 167
Water:
  absorption, 87
  balance, 175
  droplets, 955
  flow, 531, 607
  mobilization, 917, 925
  potential, 443, 531, 585, 675, 925
  stress, 67, 121, 607, 675
  use efficiency, 287, 707, 763, 807, 843, 939
  vapour saturation deficit, 127
Weeds, 501
Wheat, 443, 477
White spruce, 229
Wild oats, 931
Wind abrasive damage, 185
Winter stress, 345
Wounding, 431

Xanthophylls, 601
Xylem, 357:
  cavitation, 607
  sap, 979
Xyloglucan, 625
X-ray analysis, 319, 437, 485

Yield, 21

Zea diploperennis — Zea mays, 97
Zea mays L., 121, 279, 619
Zeta potential, 261
Zinc, 399, 779